



# COMPAS D'ABATTANT

ITALIANA FERRAMENTA



# COMPAS D'ABATTANT

ITALIANA FERRAMENTA



| h   | Door weight (Kg) |   |         |         |         |         |         |         |   |         |    |         |    |    |    |    |    |    |
|-----|------------------|---|---------|---------|---------|---------|---------|---------|---|---------|----|---------|----|----|----|----|----|----|
|     | 1                | 2 | 3       | 4       | 5       | 6       | 7       | 8       | 9 | 10      | 11 | 12      | 13 | 14 | 15 | 16 | 17 | 18 |
| 300 | 1 x K12          |   |         | 2 x K12 |         |         |         | 3 x K12 |   |         |    | 4 x K12 |    |    |    |    |    |    |
| 350 | 1 x K12          |   | 2 x K12 |         |         |         |         | 3 x K12 |   |         |    | 4 x K12 |    |    |    |    |    |    |
| 400 | 1 x K12          |   | 2 x K12 |         |         | 3 x K12 |         |         |   | 4 x K12 |    |         |    |    |    |    |    |    |
| 450 | 1 x K12          |   | 2 x K12 |         | 3 x K12 |         |         | 4 x K12 |   |         |    |         |    |    |    |    |    |    |
| 500 | 1 x K12          |   | 2 x K12 |         | 3 x K12 |         | 4 x K12 |         |   |         |    |         |    |    |    |    |    |    |